

Fetal Exposure to Cell Phones

Hugh S. Taylor MD

Are You Pregnant?

Protect Your Baby from Wireless Radiation!



Recent studies from Yale University show that exposure to wireless radiation can have profound effects on brain development, including symptoms of Attention Deficit/Hyperactivity Disorder (ADHD). Now, doctors and researchers around the world are urging pregnant women to take simple steps to limit their exposure to wireless radiation.

For more information, including links to scientific studies and video interviews with medical doctors and public health experts, please visit our web site, BabySafeProject.org.

10 Tips for Reducing Your Exposure to Wireless Radiation

1. Avoid carrying your cell phone on your body (e.g. in a pocket or bra).
2. Avoid holding any wireless device against your body when in use.
3. Use your cell phone on speaker setting or with an "air tube" headset.
4. Avoid using your wireless device in cars, trains or elevators.
5. Avoid cordless phones, especially where you sleep.
6. Whenever possible, connect to the internet with wired cables.
7. When using Wi-Fi, connect only to download, then disconnect and disable Wi-Fi.
8. Avoid prolonged or direct exposure to Wi-Fi routers.
9. Unplug your home Wi-Fi router when not in use (e.g. at bedtime).
10. Sleep as far away from wireless utility meters (i.e. "smart" meters) as possible



The BabySafe Project
www.BabySafeProject.org
#KnowYourExposure

THE CELL PHONE PROBLEM

CELL PHONES

TECHNOLOGY | EXPOSURES | HEALTH EFFECTS



ENVIRONMENT & HUMAN HEALTH, INC.

[The BabySafeProject:](#) Doctors joining together to educate pregnant women on how to reduce their risk. [Download Poster.](#) [Download brochure.](#)

[**Cell Phones: Technology, Exposures, Health Effects by Environment and Human Health, Inc.**](#)

RESEARCH

[Aldad TS, Gan G, Gao XB, Taylor HS.](#) (2012). [Fetal Radiofrequency Radiation Exposure From 800-1900 MHz-Rated Cellular Telephones Affects Neurodevelopment and Behavior in Mice.](#) *Scientific Reports*; 2, 312.

Bas O, Odaci E, Kaplan S, Acer N. (2009). [900 MHz electromagnetic field exposure affects qualitative and quantitative features of hippocampal pyramidal cells in adult rat.](#) *Brain Research*. 1265, 178–185.

Bas et al., (2009). [Chronic prenatal exposure to the 900 megahertz electromagnetic field induces pyramidal cell loss in the hippocampus of newborn rats.](#) *Toxicol Ind Health*. 25, 377–384.

Bin Lv, Zhiye Chen, Tongning Wu, Qing Shao, Duo Yan, Lin Ma, Ke Lu, Yi Xie. (2014). [The alteration of spontaneous low frequency oscillations caused by acute electromagnetic fields exposure](#). *Clin Neurophysiol.* 125(2), 277-86.

Byun Y-H, Ha M, Kwon H-J, Hong Y-C, Leem J-H. (2013). [Mobile Phone Use, Blood Lead Levels, and Attention Deficit Hyperactivity Symptoms in Children: A Longitudinal Study](#). PLoS ONE. 8(3)

Deshmukh P.S. et al., 2015. [Cognitive impairment and neurogenotoxic effects in rats exposed to low-intensity microwave radiation](#). *Int J Toxicol.* 34(3): 284-290.

Deshmukh et al., (2013). [Effect of low level microwave radiation exposure on cognitive function and oxidative stress in rats](#). *Indian J Biochem Biophys*; 50(2), 114-9.

Divan HA, Kheifets L, Obel C, Olsen J. (2012). [Cell phone use and behavioural problems in young children](#). *J Epidemiol Community Health*. 66(6), 524-9.

Divan HA, Kheifets L, Obel C, Olsen J. (2008). [Prenatal and postnatal exposure to cell phone use and behavioral problems in children](#). *Epidemiology*. 19(4), 523-9.

Hao, Y.-H., Zhao, L., & Peng, R.-Y. (2015). [Effects of microwave radiation on brain energy metabolism and related mechanisms](#). *Military Medical Research*, 2, 4.
<http://doi.org/10.1186/s40779-015-0033-6>

Júnior et al., (2014). [Behavior and memory evaluation of Wistar rats exposed to 1·8 GHz radiofrequency electromagnetic radiation](#). *Neurol Res.* 36(1).

Jing et al., (2012). [The influence of microwave radiation from cellular phone on fetal rat brain](#). *Electromagn Biol Med.* 31(1), 57-66.

Megha, K Deshmukh, PS, Banerjee, BD, Tripathi, AK, Abegaonkar, MP. (2012). [Microwave radiation induced oxidative stress, cognitive impairment and inflammation in brain of Fischer rats](#). *Indian J Experimental Biology*. 50(12), 889-896.

Narayanan SN, Kumar RS, Karun KM, Nayak SB, Bhat PG., (2015) Possible cause for altered spatial cognition of prepubescent rats exposed to chronic radiofrequency electromagnetic radiation. *Metab Brain Dis.* 2015 Oct;30(5):1193-206. doi: 10.1007/s11011-015-9689-6. Epub 2015 Jun 3.

Odaci et. al., (2015) [Maternal exposure to a continuous 900-MHz electromagnetic field provokes neuronal loss and pathological changes in cerebellum of 32-day-old female rat offspring](#). *J Chem Neuroanat.* Sep 21.

Odaci E, Bas O, Kaplan S. (2008). [Effects of prenatal exposure to a 900 megahertz electromagnetic field on the dentate gyrus of rats: a stereological and histopathological study](#). *Brain Research*. 1238, 224–229.

Ozgur et al., (2013) [Effects of prenatal and postnatal exposure to GSM-like radiofrequency on blood chemistry and oxidative stress in infant rabbits. an experimental study.](#) Cell Biochem Biophys. 2013 Nov;67(2):743-51. doi: 10.1007/s12013-013-9564-1.

Güler et al., (2015) [Neurodegenerative changes and apoptosis induced by intrauterine and extrauterine exposure ofradiofrequency radiation.](#) J Chem Neuroanat. 2015 Oct 28. pii:

Razavinasab M, Moazzami K, Shabani M. (2014). [Maternal mobile phone exposure alters intrinsic electrophysiological properties of CA1 pyramidal neurons in rat offspring.](#) Toxicol Ind Health. 30(2), 101-196.

Roggeveen S, van Os J, Viechtbauer W, Lousberg R (2015) [EEG changes due to experimentally induced 3G mobile phone radiation.](#) PLoS One. 2015; 10(6): e0129496.

Saikhedkar N, Bhatnagar M, Jain A, Sukhwal P, Sharma C, Jaiswal N. (2014). [Effects of mobile phone radiation \(900 MHz radiofrequency\) on structure and functions of rat brain.](#) Neurol Res. 2(6), 2499-2504.

[Sirav B, Seyhan N. \(2011\). Effects of radiofrequency radiation exposure on blood-brain barrier permeability in male and female rats. Electromagnetic Biology and Medicine.](#) 30(4), 253-60.

Sahin et al.,(2016)[The 2100MHz radiofrequency radiation of a 3G-mobile phone and the DNA oxidative damage in brain.](#) J Chem Neuroanat. 2016 Jan 8.

Sonmez OF, Odaci E, Bas O, Kaplan S., 2010. [Purkinje cell number decreases in the adult female rat cerebellum following exposure to 900 MHz electromagnetic field.](#) Brain Res. 2010 Oct 14;1356:95-101.

Sudan et al., (2012) [Prenatal and Postnatal Cell Phone Exposures and Headaches in Children.](#) Open Pediatr Med Journal. 2012 Dec 5;6(2012):46-52.

Qiao, et al. (2014) [Reduction of Phosphorylated Synapsin I \(Ser-553\) Leads to Spatial Memory Impairment by Attenuating GABA Release after Microwave Exposure in Wistar Rats.](#) PLoS ONE. 9(4)

Volkow et al.,(2011). [Effects of cell phone radiofrequency signal exposure on brain glucose metabolism.](#) Journal of the American Medical Association, 305(8), 808-13.

Zarei et al., [A Challenging Issue in the Etiology of Speech Problems: The Effect of Maternal Exposure to Electromagnetic Fields on Speech Problems in the Offspring.](#) J Biomed Phys Eng. 2015 Sep 1;5(3):151-4. eCollection 2015.